



IFSC Events

Back Of House (BOH)

1. Isolation zone (Relax area)

1.1. Facilities

- Relaxation area (also main area)
- Shall allow a direct access to the transit zone (FOP) or a protected transport if at a distance of the FOP
- The isolation zone should be located so that it is not possible to hear what is happening in the competition arena, at a minimum any information from the speakers or other athletes' performance
- The total area of the zone must be a minimum of 2 square meters of floor space per athlete
- All necessary private toilets and changing facilities separated for male and female Athletes
- Temperature accommodated to be not below 20° C and not above 25 °C
- The isolation zone must contain an area with seating for all Athletes
- The isolation zone must contain an area for aerobic activities
- Event Organiser personnel shall be present as long as an Athlete is present in the isolation zone

1.2 Equipment

- Water must be provided for the Athletes while they are in isolation.
- Start lists for the rounds of the competition, with updated schedule and any other information Athletes and Team official might need to know. Event Organiser personnel shall be present as long as an Athlete is present in the isolation zone
- A separate area should be provided for catering
- Newspapers, climbing magazines and climbing videos may be provided along with other, relevant 'entertainment'
- Any other food or drinks. The Event Organiser should communicate during the technical meeting the type of food available
- Cushioned, matting, bars, chairs for the Athletes to perform stretching and other physical activities

1.2. Access

The isolation zone must be totally secure from all public areas with a continuous scrutiny of all persons entering or leaving the Isolation Zone. Only Athletes, team officials and authorised officials are to be allowed in the zone. Other persons may only be allowed into the isolation zone with permission from the Jury President. Broadcasters/web broadcasters are not allowed to access these zones, unless accompanied by IFSC delegates. Competitors and Team Officials are not allowed to be in possession any electronic / not electronic transmitting or recording devices in the isolation zone. Nor they should have access to any public transmitting equipment. The Event Organiser must have some means to collect, label, store securely and return to the owners after the Athletes have completed the round or in the case of Team Officials when they leave the isolation zone.

2. Isolation area (warm-up area)

2.1. Facilities



- Warming-up wall area. If in closed rooms, the warming-up area shall be ventilated from the chalk dust an area protected from the falls of the climbing athletes shall exist for those waiting to climb

2.2. Equipment

- The warm up wall must be equipped with matting, which must be continuous.
- Shall have a minimum of one square meter for each athlete present in a round of the competition, with an absolute minimum of 60 (sixty) square meters. The Athletes should not be able to access the supporting structure (for safety reasons)
- Shall have a discrete area to run medical operations such as BMI, Physio treatments etc etc
- The wall should not be higher than 4.5 meters (in accordance with EN 12572:2) in height nor less than 2 meters, unless provided with proper equipment and ropes, and should be provided with suitable cushioned matting below its climbing surfaces. Percentage of steepness shall be relatively similar to the competition wall
- The warm up wall must be of the same type as those used on the competition wall, meaning a representative and various selection of holds of the same design and manufacture as those used in the competition
- The warm-up Wall should be ready to use as described in above points for the opening of the isolation period related to a competition round, or (in case of flash) no later than two hours before the start of the competition round.

2.3. Access

Please refer to paragraph 1.3

3. Technical Meeting area and registration desk

3.1. Facilities

Where technical meeting is held before the competition. It can also be the place where confirmation of registrations is done. It should be as close as possible to the Jury Offices

3.2. Equipment

- Presentation equipment (screen, beamer, sound system)
- Athletes BIBs number and startlist to distribute to coaches

4. Storage rooms

Please refer to the Route Setters Checklist (Sport Equipment paragraph)

5. Medical / Anti-Doping room

5.1. Facilities

Access shall only upon invitation of the Medical officers (EO and IFSC) or Anti-Doping Officers. It should allow necessary privacy for the different Medical / Anti-Doping operations

5.2. Equipment

- 1 office desk, 2 chairs, electricity, running water and discharge (drain, sink)



- The necessary medical first aid equipment to deal with non-major ailments and injuries
- The appropriate device to maintain the anti-doping test samples in the required state of conservation before analysis (e.g. refrigerator)
- A lavatory

6. IFSC judges office & IFSC representative offices

6.1. Facilities

Each room shall be Big enough to accommodate up to 6 person (for meetings) with computers. Rooms shall be secured with access to the IFSC Staff during event time

6.2. Equipment

- Internet access for several computers, printer. Please note that wi-fi connection should be dedicated to the judges' team.
- 1 Laser Printer-
- Monitor to check video recording, with a dedicated National Judge.

7. Event Organiser Offices

7.1. Facilities

Comprising an official Competition Director and a Secretariat responsible for dealing with all aspects of the organisation of the event and accommodation of IFSC and National Federation members.

8. General facilities and connections

8.1. Equipment

Electricity system sufficient to accommodate the event's organisation + back-up electrical power source

Internet connection: sufficient upload speed to accommodate the Webcasting needs, Result system connection, Press Office, IFSC and EO offices, Team Manager. The Webcasting and result system connection should be independent from the others and be effective from 24 hours before the event to 10 hours after the event.

9. Parking Lot SNG and trailer

9.1. Facilities

Parking lot for the SNG truck, not more than 50 m. away from the IFSC Production team office. Parking lot for IFSC production team trailer.